

## 1. Substance/mixture and Company Identification

Product name:

SUBLIMATION INK, IR-DST Yellow

Manufacture: REDGIANT, Inc.

Address: 37, MTV 27-ro, 58 beon-gil, Siheung-si, Gyeonggi-do, 15118 KOREA

Phone: +82-2-837-0329
Fax: +82-31-311-0130
Intended use: Inkjet Printing
Date of issue: 01 December, 2014

## 2. Hazard Identification

2.1 Emergency Overview:

Appearance and odor: Yellow liquid and slightly odor This product is not classified as dangerous according to GHS. GHS label elements, including precautionary statements

The product does not need to be labeled in accordance with GHS criteria.

2.2. OSHA regulatory status

This product is not considered hazardous material by the OSHA Communication Standard (29 CFR 1910.1200)

2.3. Potential health effects

Likely route of exposure: Eye, skin, inhalation or oral.

Eyes: Contact with eye may be mildly irritating.

Skin: Contact with skin may cause irritation, swelling or redness.

Inhalation: Exposure to vapors (mist) will cause respiratory irritation and anesthesia.

Ingestion: May cause upset stomach. Chronic Health Hazards: No information available.

Carcinogenicity: None of the ingredients in this ink is listed by IARC as a carcinogen. (1,2A and 2B)

See section 11 for more information.

3. Composition/Information on Ingredients

Composition	CAS No.	% By Weight	Classification HCS
Glycerol	56-81-5	10-20	Not classified as hazardous
Water	7732-18-5	80-90	Not classified as hazardous
Triethanolamine	102-71-6	0.5-2	Not classified as hazardous

#### 4. First Aid Measures

## 4.1. First aid procedures

Eye In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Hold eyelids

open during flushing. Seek medical advice.

Skin In case of contact, immediately flush with plenty of water while removing contaminated clothing

and shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.

Inhalation Remove to fresh air. If breathing is irregular, seek medical advice.

Ingestion If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

4.2. Note to physicians

May cause skin and eye irritation. Excessive inhalation of mist will cause respiratory irritation.



Not Flammable, Flash Point: >100 °C

As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion. Exposure to decomposition products may be a hazard to health. Cool closed containers exposed to fire with water spray. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### 5.2. Extinguishing media

Suitable extinguishing media: Carbon dioxide, alcohol-resistant foam, dry chemical or water spray.

Unsuitable extinguishing media: Do NOT use water jet.

# 5.3. Protection of fire fighters

Special hazards arising from the substance or mixture

Toxic and irritating fume and/or gases may generate by combustion.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus (SCBA) and full protective equipment.

Applying direct water may be dangerous because fire may expand to surroundings.

#### 6. Accidental Release Measures

#### General:

Notify the appropriate authorities immediately. Take all additional action necessary to prevent and remedy the adverse effects of the spill. Absorb spill with sand or earth then place in a chemical waste container.

## 6.1. Personal precautions

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

## 6.2. Environmental precautions

Dike spill. Prevent liquid from entering sewers, waterways or low areas.

## 6.3. Methods for containment and Clean-up

Use mechanical tools to collect spilled product and eliminated the remainder using jets of water.

Sweep up material and dispose as waste following local regulations. Scrub contaminated area with detergent and water.

## 6.4. Other information

No information

## 6.5. Spill or leak statements by type of chemical

Eliminate all ignition sources. Use appropriate personal protective equipment (PPE). Absorb and/or contain spill with inert sand, then place in suitable container. For large spills; use water spray to disperse vapers and dilute spill to a nonflammable mixture. Do not flush to sewer. Prevent run-off from entering drains, sewers or waterways.

## 7. Handling And Storage

# 7.1. Handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Keep out of reach of children and do not drink. Do not dismantle container.

## 7.2. Storage

Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with oxidizing agents or explosives.

## 8. Exposure Controls/Personal Protection

## 8.1. Exposure Guidelines

Occupational Exposure Limits:

EU: DNEL

 DIVEE				
components	Long term exposure	Short term exposure		
Glycerol	56mg/m <sub>3</sub> -	-		
Triethanolamine	5mg/m <sub>3</sub>	-		



components	OSHA:PEL	ACGIH:TLV
Glycerol (mist)	15mg/m <sub>3</sub> -	10mg/m <sub>3</sub>
Triethanolamine		5mg/m <sub>3</sub>

Australia: OELs

with OLLO				
components	TWA	STEL		
Glycerol (mist)	10mg/m <sub>3</sub> -	-		
Triethanolamine	5mg/m <sub>3</sub>			

## 8.2. Engineering controls

Hand protection:

Control the airborne concentrations below the exposure limits. Use only with adequate ventilation.

## 8.3. Personal protective equipment (PPE)

Eye/face protection: Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, wear safety glasses or chemical splash goggles. Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, use protective gloves.

Skin protection: Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, wear protective clothing.

Respiratory protection: Not required under suitable use as setting the cartridge on the printer. However,

in case ventilation is not sufficient, wear respiratory protection.

General hygiene measures: Wash hands after handling. In case contact with clothing, wash before reuse.

Do not eat, drink or smoke in handling or storage area.

#### 9. Physical and Chemical Properties

Appearance: Yellow liquid Odor: Slightly

pH: Approx. 7.5-9.5 Melting or freezing point: No data available Boiling point: No data available

Flash point: > 100 °C
Flammability(solid,gas): None
Explosive properties: None
Oxidizing properties: None

Vapor pressure:

Density:

Solubility:

Partition coefficient: n-octanol/water:

No data available
No data available
No data available

Viscosity: Approx. 2-6 cp (at 25 °C) Vapor density: No data available Evaporation rate: No data available

# 10. Stability and Reactivity

10.1. Reactivity:
No data available
10.2. Possibility of hazardous reactions:
Not expected

10.3. Chemical stability: Stable under normal temperature

10.4. Conditions to avoid: Taking the product type into account, it is advisable to leave the product in

its original packaging thus avoiding transferring it.

10.5. Incompatible materials: Keep away from oxidising agents, strongly alkaline and strongly acid

materials in order to avoid exothermic reactions.

10.6. Hazardous decomposition products: No data available



Acute toxicity:

Oral LD50 No data available

(Disperse dye: LD50>5000mg/kg (Rat))

(Triethanolamine: LD50=8000~9000mg/kg (Rat))

Dermal LD50 No data available
Inhalant LC50 No data available
Skin corrosion/irritation: No data available

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in designation of the skin. The product may be

fat from the skin resulting in desiccation of the skin. The product may be

absorbed through the skin.

Serious eye damage/eye irritation:
Respiratory or skin sensitisation:
Germ cell mutagenicity:
No data available
No data available
No data available
No data available

Carcinogenicity: None of the ingredients in this ink is listed by IARC as a carcinogen. (1,2A and 2B)

STOT-single exposure: Overexposure of eye may be mildly irritating.

Overexposure of skin may cause irritation and in some people swelling and redness.

Inhalation may result in respiratory irritation and anesthesia.

Ingestion may cause an upset stomach.

STOT-repeated exposure: No data available Aspiration hazard: No data available

12. Ecological Information

Ecotoxicity: No data available Persistence/Degradability: No data available Bioaccumulation/Accumulation: No data available Mobility in environment media: No data available Other adverse effects: No data available

## 13. Disposal Considerations

Treatment, storage, transportation and disposal must be in accordance with applicable federal, state/provincial, and local regulations. Do not flush to surface water or sanitary sewer system.

## 14. Transport Information

14.1. UN Class/UN Number

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.2. UN proper shipping name

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.3. Transport hazard class(es)

 $DOT/ADR/ADG, \, IMDG, \, or \, \, IATA: \qquad \qquad Not \, applicable$ 

14.4. Packing group

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.5. Environmental hazards

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.6. Special precautions for user

Transport and storage of the product in accordance with general

precautions and instructions mentioned in this SDS.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code

Not applicable

## 15. Regulatory Information



California Proposition 65: Not regulated SARA TITLE III: Not regulated

EU Information:

Chemical Safety Assessment according to EC Regulation 1907/2006:

This product has not carried out any Chemical Safety Assessment vet.

Australia Information:

Hazardous statement: Not classified as hazardous according to NOHSC criteria.

## 16. Other Information

NFPA 704: Hazard Rating System

Health - 1, Flammable - 0, Reactivity - 0

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge on the date of the last version. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.



## 1. Substance/mixture and Company Identification

Product name:

SUBLIMATION INK, IR-DST Magenta

Manufacture: REDGIANT, Inc.

Address: 37, MTV 27-ro, 58 beon-gil, Siheung-si, Gyeonggi-do, 15118 KOREA

Phone: +82-2-837-0329
Fax: +82-31-311-0130
Intended use: Inkjet Printing
Date of issue: 01 December, 2014

## 2. Hazard Identification

2.1 Emergency Overview:

Appearance and odor: Magenta liquid and slightly odor

This product is not classified as dangerous according to GHS. GHS label elements, including precautionary statements

The product does not need to be labeled in accordance with GHS criteria.

2.2. OSHA regulatory status

This product is not considered hazardous material by the OSHA Communication Standard (29 CFR 1910.1200)

2.3. Potential health effects

Likely route of exposure: Eye, skin, inhalation or oral.

Eyes: Contact with eye may be mildly irritating.

Skin: Contact with skin may cause irritation, swelling or redness.

Inhalation: Exposure to vapors (mist) will cause respiratory irritation and anesthesia.

Ingestion: May cause upset stomach. Chronic Health Hazards: No information available.

Carcinogenicity: None of the ingredients in this ink is listed by IARC as a carcinogen. (1,2A and 2B)

See section 11 for more information.

3. Composition/Information on Ingredients

Composition	CAS No.	% By Weight	Classification HCS
Glycerol	56-81-5	10-20	Not classified as hazardous
Water	7732-18-5	80-90	Not classified as hazardous
Triethanolamine	102-71-6	0.5-2	Not classified as hazardous

#### 4. First Aid Measures

# 4.1. First aid procedures

Eye In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Hold eyelids

open during flushing. Seek medical advice.

Skin In case of contact, immediately flush with plenty of water while removing contaminated clothing

and shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.

Inhalation Remove to fresh air. If breathing is irregular, seek medical advice.

Ingestion If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

4.2. Note to physicians

May cause skin and eye irritation. Excessive inhalation of mist will cause respiratory irritation.



Not Flammable, Flash Point: >100 °C

As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion. Exposure to decomposition products may be a hazard to health. Cool closed containers exposed to fire with water spray. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### 5.2. Extinguishing media

Suitable extinguishing media: Carbon dioxide, alcohol-resistant foam, dry chemical or water spray.

Unsuitable extinguishing media: Do NOT use water jet.

# 5.3. Protection of fire fighters

Special hazards arising from the substance or mixture

Toxic and irritating fume and/or gases may generate by combustion.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus (SCBA) and full protective equipment.

Applying direct water may be dangerous because fire may expand to surroundings.

#### 6. Accidental Release Measures

#### General:

Notify the appropriate authorities immediately. Take all additional action necessary to prevent and remedy the adverse effects of the spill. Absorb spill with sand or earth then place in a chemical waste container.

## 6.1. Personal precautions

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

## 6.2. Environmental precautions

Dike spill. Prevent liquid from entering sewers, waterways or low areas.

## 6.3. Methods for containment and Clean-up

Use mechanical tools to collect spilled product and eliminated the remainder using jets of water.

Sweep up material and dispose as waste following local regulations. Scrub contaminated area with detergent and water.

# 6.4. Other information

No information

## 6.5. Spill or leak statements by type of chemical

Eliminate all ignition sources. Use appropriate personal protective equipment (PPE). Absorb and/or contain spill with inert sand, then place in suitable container. For large spills; use water spray to disperse vapers and dilute spill to a nonflammable mixture. Do not flush to sewer. Prevent run-off from entering drains, sewers or waterways.

## 7. Handling And Storage

## 7.1. Handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Keep out of reach of children and do not drink. Do not dismantle container.

## 7.2. Storage

Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with oxidizing agents or explosives.

## 8. Exposure Controls/Personal Protection

# 8.1. Exposure Guidelines

Occupational Exposure Limits:

EU: DNEL

STREE				
components	Long term exposure	Short term exposure		
Glycerol	56mg/m <sub>3</sub> -	-		
Triethanolamine	5mg/m <sub>3</sub>	-		



components	OSHA:PEL	ACGIH:TLV
Glycerol (mist)	15mg/m <sub>3</sub> -	10mg/m <sub>3</sub>
Triethanolamine		5mg/m <sub>3</sub>

Australia: OELs

with OLLO				
components	TWA	STEL		
Glycerol (mist)	10mg/m <sub>3</sub> -	-		
Triethanolamine	5mg/m <sub>3</sub>			

## 8.2. Engineering controls

Hand protection:

Control the airborne concentrations below the exposure limits. Use only with adequate ventilation.

## 8.3. Personal protective equipment (PPE)

Eye/face protection: Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, wear safety glasses or chemical splash goggles. Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, use protective gloves.

Skin protection: Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, wear protective clothing.

Respiratory protection: Not required under suitable use as setting the cartridge on the printer. However,

in case ventilation is not sufficient, wear respiratory protection.

General hygiene measures: Wash hands after handling. In case contact with clothing, wash before reuse.

Do not eat, drink or smoke in handling or storage area.

#### 9. Physical and Chemical Properties

Appearance: Magenta liquid Odor: Slightly

pH: Approx. 7.5-9.5 Melting or freezing point: No data available Boiling point: No data available

Flash point: > 100 °C
Flammability(solid,gas): None
Explosive properties: None
Oxidizing properties: None

Vapor pressure:No data availableDensity:Approx. 1.08 g/cm³Solubility:No data availablePartition coefficient: n-octanol/water:No data available

Viscosity: Approx. 2-6 cp (at 25 °C) Vapor density: No data available Evaporation rate: No data available

# 10. Stability and Reactivity

10.1. Reactivity:
No data available
10.2. Possibility of hazardous reactions:
Not expected

10.3. Chemical stability: Stable under normal temperature

10.4. Conditions to avoid: Taking the product type into account, it is advisable to leave the product in

its original packaging thus avoiding transferring it.

10.5. Incompatible materials: Keep away from oxidising agents, strongly alkaline and strongly acid

materials in order to avoid exothermic reactions.

10.6. Hazardous decomposition products: No data available



Acute toxicity:

Oral LD50 No data available

(Disperse dye: LD50>5000mg/kg (Rat))

(Triethanolamine: LD50=8000~9000mg/kg (Rat))

Dermal LD50 No data available
Inhalant LC50 No data available
Skin corrosion/irritation: No data available

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of the skin. The product may be

absorbed through the skin.

Serious eye damage/eye irritation: No data available Respiratory or skin sensitisation: No data available Germ cell mutagenicity: No data available Reproductive toxicity: No data available

Carcinogenicity: None of the ingredients in this ink is listed by IARC as a carcinogen. (1,2A and 2B)

STOT-single exposure: Overexposure of eye may be mildly irritating.

Overexposure of skin may cause irritation and in some people swelling and redness.

Inhalation may result in respiratory irritation and anesthesia.

Ingestion may cause an upset stomach.

STOT-repeated exposure: No data available Aspiration hazard: No data available

12. Ecological Information

Ecotoxicity: No data available Persistence/Degradability: No data available Bioaccumulation/Accumulation: No data available Mobility in environment media: No data available Other adverse effects: No data available

#### 13. Disposal Considerations

Treatment, storage, transportation and disposal must be in accordance with applicable federal, state/provincial, and local regulations. Do not flush to surface water or sanitary sewer system.

## 14. Transport Information

14.1. UN Class/UN Number

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.2. UN proper shipping name

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.3. Transport hazard class(es)

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.4. Packing group

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.5. Environmental hazards

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.6. Special precautions for user

Transport and storage of the product in accordance with general

precautions and instructions mentioned in this SDS.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code

Not applicable

## 15. Regulatory Information



California Proposition 65: Not regulated SARA TITLE III: Not regulated

EU Information:

Chemical Safety Assessment according to EC Regulation 1907/2006:

This product has not carried out any Chemical Safety Assessment vet.

Australia Information:

Hazardous statement: Not classified as hazardous according to NOHSC criteria.

## 16. Other Information

NFPA 704: Hazard Rating System

Health - 1, Flammable - 0, Reactivity - 0

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge on the date of the last version. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.



## 1. Substance/mixture and Company Identification

Product name:

SUBLIMATION INK, IR-DST Cyan

Manufacture: REDGIANT, Inc.

Address: 37, MTV 27-ro, 58 beon-gil, Siheung-si, Gyeonggi-do, 15118 KOREA

Phone: +82-2-837-0329
Fax: +82-311-311-0130
Intended use: Inkjet Printing
Date of issue: 01 December, 2014

## 2. Hazard Identification

2.1 Emergency Overview:

Appearance and odor: Cyan liquid and slightly odor This product is not classified as dangerous according to GHS. GHS label elements, including precautionary statements

The product does not need to be labeled in accordance with GHS criteria.

2.2. OSHA regulatory status

This product is not considered hazardous material by the OSHA Communication Standard (29 CFR 1910.1200)

2.3. Potential health effects

Likely route of exposure: Eye, skin, inhalation or oral.

Eyes: Contact with eye may be mildly irritating.

Skin: Contact with skin may cause irritation, swelling or redness.

Inhalation: Exposure to vapors (mist) will cause respiratory irritation and anesthesia.

Ingestion: May cause upset stomach. Chronic Health Hazards: No information available.

Carcinogenicity: None of the ingredients in this ink is listed by IARC as a carcinogen. (1,2A and 2B)

See section 11 for more information.

3. Composition/Information on Ingredients

Composition	CAS No.	% By Weight	Classification HCS
Glycerol	56-81-5	10-20	Not classified as hazardous
Water	7732-18-5	80-90	Not classified as hazardous
Triethanolamine	102-71-6	0.5-2	Not classified as hazardous

#### 4. First Aid Measures

# 4.1. First aid procedures

Eye In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Hold eyelids

open during flushing. Seek medical advice.

Skin In case of contact, immediately flush with plenty of water while removing contaminated clothing

and shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.

Inhalation Remove to fresh air. If breathing is irregular, seek medical advice.

Ingestion If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

4.2. Note to physicians

May cause skin and eye irritation. Excessive inhalation of mist will cause respiratory irritation.



Not Flammable, Flash Point: >100 °C

As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion. Exposure to decomposition products may be a hazard to health. Cool closed containers exposed to fire with water spray. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### 5.2. Extinguishing media

Suitable extinguishing media: Carbon dioxide, alcohol-resistant foam, dry chemical or water spray.

Unsuitable extinguishing media: Do NOT use water jet.

## 5.3. Protection of fire fighters

Special hazards arising from the substance or mixture

Toxic and irritating fume and/or gases may generate by combustion.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus (SCBA) and full protective equipment.

Applying direct water may be dangerous because fire may expand to surroundings.

#### 6. Accidental Release Measures

#### General:

Notify the appropriate authorities immediately. Take all additional action necessary to prevent and remedy the adverse effects of the spill. Absorb spill with sand or earth then place in a chemical waste container.

## 6.1. Personal precautions

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

## 6.2. Environmental precautions

Dike spill. Prevent liquid from entering sewers, waterways or low areas.

## 6.3. Methods for containment and Clean-up

Use mechanical tools to collect spilled product and eliminated the remainder using jets of water.

Sweep up material and dispose as waste following local regulations. Scrub contaminated area with detergent and water.

## 6.4. Other information

No information

## 6.5. Spill or leak statements by type of chemical

Eliminate all ignition sources. Use appropriate personal protective equipment (PPE). Absorb and/or contain spill with inert sand, then place in suitable container. For large spills; use water spray to disperse vapers and dilute spill to a nonflammable mixture. Do not flush to sewer. Prevent run-off from entering drains, sewers or waterways.

## 7. Handling And Storage

## 7.1. Handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Keep out of reach of children and do not drink. Do not dismantle container.

## 7.2. Storage

Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with oxidizing agents or explosives.

## 8. Exposure Controls/Personal Protection

# 8.1. Exposure Guidelines

Occupational Exposure Limits:

EU: DNEL

•	DIVEE				
	components	Long term exposure	Short term exposure		
	Glycerol	56mg/m <sub>3</sub> -	-		
	Triethanolamine	5mg/m <sub>3</sub>	-		



components	OSHA:PEL	ACGIH:TLV
Glycerol (mist)	15mg/m <sub>3</sub> -	10mg/m <sub>3</sub>
Triethanolamine		5mg/m <sub>3</sub>

#### Australia: OELs

unu. OBES				
components	TWA	STEL		
Glycerol (mist)	10mg/m <sub>3</sub> -	-		
Triethanolamine	5mg/m <sub>3</sub>			

## 8.2. Engineering controls

Hand protection:

Control the airborne concentrations below the exposure limits. Use only with adequate ventilation.

## 8.3. Personal protective equipment (PPE)

Eye/face protection: Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, wear safety glasses or chemical splash goggles. Not required under suitable use as setting the cartridge on the printer. However,

in age of direct contact to interpretative alorses

in case of direct contact to ink, use protective gloves.

Skin protection: Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, wear protective clothing.

Respiratory protection: Not required under suitable use as setting the cartridge on the printer. However,

in case ventilation is not sufficient, wear respiratory protection.

General hygiene measures: Wash hands after handling. In case contact with clothing, wash before reuse.

Do not eat, drink or smoke in handling or storage area.

#### 9. Physical and Chemical Properties

Appearance: Cyan liquid Odor: Slightly

pH: Approx. 7.5-9.5 Melting or freezing point: No data available Boiling point: No data available

Flash point: > 100 °C
Flammability(solid,gas): None
Explosive properties: None
Oxidizing properties: None

Vapor pressure:

Density:

Solubility:

Partition coefficient: n-octanol/water:

Viscosity:

No data available

No data available

No data available

Approx. 2-6 cp (at 25 °C)

Vapor density:

Vapor density:

No data available

Evaporation rate:

No data available

# 10. Stability and Reactivity

10.1. Reactivity:
No data available
10.2. Possibility of hazardous reactions:
Not expected

10.3. Chemical stability: Stable under normal temperature

10.4. Conditions to avoid: Taking the product type into account, it is advisable to leave the product in

its original packaging thus avoiding transferring it.

10.5. Incompatible materials: Keep away from oxidising agents, strongly alkaline and strongly acid

materials in order to avoid exothermic reactions.

10.6. Hazardous decomposition products: No data available



Acute toxicity:

Oral LD50 No data available

(Disperse dye: LD50>5000mg/kg (Rat))

(Triethanolamine: LD50=8000~9000mg/kg (Rat))

Dermal LD50 No data available
Inhalant LC50 No data available
Skin corrosion/irritation: No data available

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in designation of the skin. The product may be

fat from the skin resulting in desiccation of the skin. The product may be

absorbed through the skin.

Serious eye damage/eye irritation:
Respiratory or skin sensitisation:
Germ cell mutagenicity:
No data available
No data available
No data available
No data available

Carcinogenicity: None of the ingredients in this ink is listed by IARC as a carcinogen. (1,2A and 2B)

STOT-single exposure: Overexposure of eye may be mildly irritating.

Overexposure of skin may cause irritation and in some people swelling and redness.

Inhalation may result in respiratory irritation and anesthesia.

Ingestion may cause an upset stomach.

STOT-repeated exposure: No data available Aspiration hazard: No data available

12. Ecological Information

Ecotoxicity: No data available Persistence/Degradability: No data available Bioaccumulation/Accumulation: No data available Mobility in environment media: No data available Other adverse effects: No data available

## 13. Disposal Considerations

Treatment, storage, transportation and disposal must be in accordance with applicable federal, state/provincial, and local regulations. Do not flush to surface water or sanitary sewer system.

## 14. Transport Information

14.1. UN Class/UN Number

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.2. UN proper shipping name

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.3. Transport hazard class(es)

 $DOT/ADR/ADG, \, IMDG, \, or \, \, IATA: \qquad \qquad Not \, applicable$ 

14.4. Packing group

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.5. Environmental hazards

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.6. Special precautions for user

Transport and storage of the product in accordance with general

precautions and instructions mentioned in this SDS.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code

Not applicable

## 15. Regulatory Information



California Proposition 65: Not regulated SARA TITLE III: Not regulated

EU Information:

Chemical Safety Assessment according to EC Regulation 1907/2006:

This product has not carried out any Chemical Safety Assessment yet.

Australia Information:

Hazardous statement: Not classified as hazardous according to NOHSC criteria.

## 16. Other Information

NFPA 704: Hazard Rating System

Health - 1, Flammable - 0, Reactivity - 0

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge on the date of the last version. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.



## 1. Substance/mixture and Company Identification

Product name:

SUBLIMATION INK, IR-DST Black

Manufacture: REDGIANT, Inc.

Address: 37, MTV 27-ro, 58 beon-gil, Siheung-si, Gyeonggi-do, 15118 KOREA

Phone: +82-2-837-0329
Fax: +82-31-311-0130
Intended use: Inkjet Printing
Date of issue: 01 December, 2014

## 2. Hazard Identification

2.1 Emergency Overview:

Appearance and odor: Black liquid and slightly odor This product is not classified as dangerous according to GHS. GHS label elements, including precautionary statements

The product does not need to be labeled in accordance with GHS criteria.

2.2. OSHA regulatory status

This product is not considered hazardous material by the OSHA Communication Standard (29 CFR 1910.1200)

2.3. Potential health effects

Likely route of exposure: Eye, skin, inhalation or oral.

Eyes: Contact with eye may be mildly irritating.

Skin: Contact with skin may cause irritation, swelling or redness.

Inhalation: Exposure to vapors (mist) will cause respiratory irritation and anesthesia.

Ingestion: May cause upset stomach. Chronic Health Hazards: No information available.

Carcinogenicity: None of the ingredients in this ink is listed by IARC as a carcinogen. (1,2A and 2B)

See section 11 for more information.

3. Composition/Information on Ingredients

Composition	CAS No.	% By Weight	Classification HCS
Glycerol	56-81-5	10-20	Not classified as hazardous
Water	7732-18-5	80-90	Not classified as hazardous
Triethanolamine	102-71-6	0.5-2	Not classified as hazardous

#### 4. First Aid Measures

## 4.1. First aid procedures

Eye In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Hold eyelids

open during flushing. Seek medical advice.

Skin In case of contact, immediately flush with plenty of water while removing contaminated clothing

and shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.

Inhalation Remove to fresh air. If breathing is irregular, seek medical advice.

Ingestion If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

4.2. Note to physicians

May cause skin and eye irritation. Excessive inhalation of mist will cause respiratory irritation.



Not Flammable, Flash Point: >100 °C

As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion. Exposure to decomposition products may be a hazard to health. Cool closed containers exposed to fire with water spray. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### 5.2. Extinguishing media

Suitable extinguishing media: Carbon dioxide, alcohol-resistant foam, dry chemical or water spray.

Unsuitable extinguishing media: Do NOT use water jet.

## 5.3. Protection of fire fighters

Special hazards arising from the substance or mixture

Toxic and irritating fume and/or gases may generate by combustion.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus (SCBA) and full protective equipment.

Applying direct water may be dangerous because fire may expand to surroundings.

#### 6. Accidental Release Measures

#### General:

Notify the appropriate authorities immediately. Take all additional action necessary to prevent and remedy the adverse effects of the spill. Absorb spill with sand or earth then place in a chemical waste container.

## 6.1. Personal precautions

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

## 6.2. Environmental precautions

Dike spill. Prevent liquid from entering sewers, waterways or low areas.

## 6.3. Methods for containment and Clean-up

Use mechanical tools to collect spilled product and eliminated the remainder using jets of water.

Sweep up material and dispose as waste following local regulations. Scrub contaminated area with detergent and water.

## 6.4. Other information

No information

## 6.5. Spill or leak statements by type of chemical

Eliminate all ignition sources. Use appropriate personal protective equipment (PPE). Absorb and/or contain spill with inert sand, then place in suitable container. For large spills; use water spray to disperse vapers and dilute spill to a nonflammable mixture. Do not flush to sewer. Prevent run-off from entering drains, sewers or waterways.

## 7. Handling And Storage

## 7.1. Handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Keep out of reach of children and do not drink. Do not dismantle container.

## 7.2. Storage

Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with oxidizing agents or explosives.

## 8. Exposure Controls/Personal Protection

## 8.1. Exposure Guidelines

Occupational Exposure Limits:

EU: DNEL

ATTEE			
components Long term exposure		Short term exposure	
Glycerol	56mg/m <sub>3</sub> -	-	
Triethanolamine	5mg/m <sub>3</sub>	-	



components	OSHA:PEL	ACGIH:TLV
Glycerol (mist)	15mg/m <sub>3</sub> -	10mg/m <sub>3</sub>
Triethanolamine		5mg/m <sub>3</sub>

Australia: OELs

WIN. OPED			
components	TWA	STEL	
Glycerol (mist)	10mg/m <sub>3</sub> -	-	
Triethanolamine	5mg/m <sub>3</sub>		

## 8.2. Engineering controls

Hand protection:

Control the airborne concentrations below the exposure limits. Use only with adequate ventilation.

## 8.3. Personal protective equipment (PPE)

Eye/face protection: Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, wear safety glasses or chemical splash goggles. Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, use protective gloves.

Skin protection: Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, wear protective clothing.

Respiratory protection: Not required under suitable use as setting the cartridge on the printer. However,

in case ventilation is not sufficient, wear respiratory protection.

General hygiene measures: Wash hands after handling. In case contact with clothing, wash before reuse.

Do not eat, drink or smoke in handling or storage area.

#### 9. Physical and Chemical Properties

Appearance: Black liquid Odor: Slightly

pH: Approx. 7.5-9.5 Melting or freezing point: No data available Boiling point: No data available

Flash point: > 100 °C
Flammability(solid,gas): None
Explosive properties: None
Oxidizing properties: None

Vapor pressure:

Density:

Solubility:

Partition coefficient: n-octanol/water:

Viscosity:

No data available

No data available

No data available

Approx. 2-6 cp (at 25 °C)

Vapor density:

Vapor density:

Evaporation rate:

No data available

No data available

# 10. Stability and Reactivity

10.1. Reactivity:
No data available
10.2. Possibility of hazardous reactions:
Not expected

10.3. Chemical stability: Stable under normal temperature

10.4. Conditions to avoid: Taking the product type into account, it is advisable to leave the product in

its original packaging thus avoiding transferring it.

10.5. Incompatible materials: Keep away from oxidising agents, strongly alkaline and strongly acid

materials in order to avoid exothermic reactions.

10.6. Hazardous decomposition products: No data available



Acute toxicity:

Oral LD50 No data available

(Disperse dye: LD50>5000mg/kg (Rat))

(Triethanolamine: LD50=8000~9000mg/kg (Rat))

Dermal LD50 No data available
Inhalant LC50 No data available
Skin corrosion/irritation: No data available

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of the skin. The product may be

absorbed through the skin.

Serious eye damage/eye irritation:
Respiratory or skin sensitisation:
Germ cell mutagenicity:
No data available
No data available
No data available
No data available

Carcinogenicity: None of the ingredients in this ink is listed by IARC as a carcinogen. (1,2A and 2B)

STOT-single exposure: Overexposure of eye may be mildly irritating.

Overexposure of skin may cause irritation and in some people swelling and redness.

Inhalation may result in respiratory irritation and anesthesia.

Ingestion may cause an upset stomach.

STOT-repeated exposure: No data available Aspiration hazard: No data available

12. Ecological Information

Ecotoxicity: No data available Persistence/Degradability: No data available Bioaccumulation/Accumulation: No data available Mobility in environment media: No data available Other adverse effects: No data available

## 13. Disposal Considerations

Treatment, storage, transportation and disposal must be in accordance with applicable federal, state/provincial, and local regulations. Do not flush to surface water or sanitary sewer system.

## 14. Transport Information

14.1. UN Class/UN Number

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.2. UN proper shipping name

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.3. Transport hazard class(es)

 $DOT/ADR/ADG, \, IMDG, \, or \, \, IATA: \qquad \qquad Not \, applicable$ 

14.4. Packing group

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.5. Environmental hazards

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.6. Special precautions for user

Transport and storage of the product in accordance with general

precautions and instructions mentioned in this SDS.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code

Not applicable

## 15. Regulatory Information



California Proposition 65: Not regulated SARA TITLE III: Not regulated

EU Information:

Chemical Safety Assessment according to EC Regulation 1907/2006:

This product has not carried out any Chemical Safety Assessment yet.

Australia Information:

Hazardous statement: Not classified as hazardous according to NOHSC criteria.

## 16. Other Information

NFPA 704: Hazard Rating System

Health - 1, Flammable - 0, Reactivity - 0

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge on the date of the last version. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.



## 1. Substance/mixture and Company Identification

Product name:

SUBLIMATION INK, IR-DST Light Magenta

Manufacture: REDGIANT, Inc.

Address: 37, MTV 27-ro, 58 beon-gil, Siheung-si, Gyeonggi-do, 15118 KOREA

Phone: +82-2-837-0329
Fax: +82-31-311-0130
Intended use: Inkjet Printing
Date of issue: 01 December, 2014

## 2. Hazard Identification

2.1 Emergency Overview:

Appearance and odor: Magenta liquid and slightly odor

This product is not classified as dangerous according to GHS. GHS label elements, including precautionary statements

The product does not need to be labeled in accordance with GHS criteria.

2.2. OSHA regulatory status

This product is not considered hazardous material by the OSHA Communication Standard (29 CFR 1910.1200)

2.3. Potential health effects

Likely route of exposure: Eye, skin, inhalation or oral.

Eyes: Contact with eye may be mildly irritating.

Skin: Contact with skin may cause irritation, swelling or redness.

Inhalation: Exposure to vapors (mist) will cause respiratory irritation and anesthesia.

Ingestion: May cause upset stomach. Chronic Health Hazards: No information available.

Carcinogenicity: None of the ingredients in this ink is listed by IARC as a carcinogen. (1,2A and 2B)

See section 11 for more information.

3. Composition/Information on Ingredients

Composition	CAS No.	% By Weight	Classification HCS
Glycerol	56-81-5	10-20	Not classified as hazardous
Water	7732-18-5	80-90	Not classified as hazardous
Triethanolamine	102-71-6	0.5-2	Not classified as hazardous

#### 4. First Aid Measures

# 4.1. First aid procedures

Eye In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Hold eyelids

open during flushing. Seek medical advice.

Skin In case of contact, immediately flush with plenty of water while removing contaminated clothing

and shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.

Inhalation Remove to fresh air. If breathing is irregular, seek medical advice.

Ingestion If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

4.2. Note to physicians

May cause skin and eye irritation. Excessive inhalation of mist will cause respiratory irritation.



Not Flammable, Flash Point: >100 °C

As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion. Exposure to decomposition products may be a hazard to health. Cool closed containers exposed to fire with water spray. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### 5.2. Extinguishing media

Suitable extinguishing media: Carbon dioxide, alcohol-resistant foam, dry chemical or water spray.

Unsuitable extinguishing media: Do NOT use water jet.

## 5.3. Protection of fire fighters

Special hazards arising from the substance or mixture

Toxic and irritating fume and/or gases may generate by combustion.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus (SCBA) and full protective equipment.

Applying direct water may be dangerous because fire may expand to surroundings.

#### 6. Accidental Release Measures

#### General:

Notify the appropriate authorities immediately. Take all additional action necessary to prevent and remedy the adverse effects of the spill. Absorb spill with sand or earth then place in a chemical waste container.

## 6.1. Personal precautions

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

## 6.2. Environmental precautions

Dike spill. Prevent liquid from entering sewers, waterways or low areas.

## 6.3. Methods for containment and Clean-up

Use mechanical tools to collect spilled product and eliminated the remainder using jets of water.

Sweep up material and dispose as waste following local regulations. Scrub contaminated area with detergent and water.

## 6.4. Other information

No information

## 6.5. Spill or leak statements by type of chemical

Eliminate all ignition sources. Use appropriate personal protective equipment (PPE). Absorb and/or contain spill with inert sand, then place in suitable container. For large spills; use water spray to disperse vapers and dilute spill to a nonflammable mixture. Do not flush to sewer. Prevent run-off from entering drains, sewers or waterways.

## 7. Handling And Storage

# 7.1. Handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Keep out of reach of children and do not drink. Do not dismantle container.

## 7.2. Storage

Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with oxidizing agents or explosives.

## 8. Exposure Controls/Personal Protection

# 8.1. Exposure Guidelines

Occupational Exposure Limits:

EU: DNEL

ATTEE			
components Long term exposure		Short term exposure	
Glycerol	56mg/m <sub>3</sub> -	-	
Triethanolamine	5mg/m <sub>3</sub>	-	



components	OSHA:PEL	ACGIH:TLV
Glycerol (mist)	15mg/m <sub>3</sub> -	10mg/m <sub>3</sub>
Triethanolamine		5mg/m <sub>3</sub>

Australia: OELs

WIN. OPED			
components	TWA	STEL	
Glycerol (mist)	10mg/m <sub>3</sub> -	-	
Triethanolamine	5mg/m <sub>3</sub>		

## 8.2. Engineering controls

Hand protection:

Control the airborne concentrations below the exposure limits. Use only with adequate ventilation.

## 8.3. Personal protective equipment (PPE)

Eye/face protection: Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, wear safety glasses or chemical splash goggles. Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, use protective gloves.

Skin protection: Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, wear protective clothing.

Respiratory protection: Not required under suitable use as setting the cartridge on the printer. However,

in case ventilation is not sufficient, wear respiratory protection.

General hygiene measures: Wash hands after handling. In case contact with clothing, wash before reuse.

Do not eat, drink or smoke in handling or storage area.

#### 9. Physical and Chemical Properties

Appearance: Magenta liquid Odor: Slightly

pH: Approx. 7.5-9.5 Melting or freezing point: No data available Boiling point: No data available

Flash point: > 100 °C
Flammability(solid,gas): None
Explosive properties: None
Oxidizing properties: None

Vapor pressure:

Density:

Solubility:

Partition coefficient: n-octanol/water:

Viscosity:

No data available

No data available

No data available

Approx. 2-6 cp (at 25 °C)

Vapor density:

Vapor density:

Evaporation rate:

No data available

No data available

# 10. Stability and Reactivity

10.1. Reactivity:

No data available
10.2. Possibility of hazardous reactions:

Not expected

10.3. Chemical stability: Stable under normal temperature

10.4. Conditions to avoid: Taking the product type into account, it is advisable to leave the product in

its original packaging thus avoiding transferring it.

10.5. Incompatible materials: Keep away from oxidising agents, strongly alkaline and strongly acid

materials in order to avoid exothermic reactions.

10.6. Hazardous decomposition products: No data available



Acute toxicity:

Oral LD50 No data available

(Disperse dye: LD50>5000mg/kg (Rat))

(Triethanolamine: LD50=8000~9000mg/kg (Rat))

Dermal LD50 No data available
Inhalant LC50 No data available
Skin corrosion/irritation: No data available

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in designation of the skin. The product may be

fat from the skin resulting in desiccation of the skin. The product may be

absorbed through the skin.

Serious eye damage/eye irritation: No data available Respiratory or skin sensitisation: No data available Germ cell mutagenicity: No data available Reproductive toxicity: No data available

Carcinogenicity: None of the ingredients in this ink is listed by IARC as a carcinogen. (1,2A and 2B)

STOT-single exposure: Overexposure of eye may be mildly irritating.

Overexposure of skin may cause irritation and in some people swelling and redness.

Inhalation may result in respiratory irritation and anesthesia.

Ingestion may cause an upset stomach.

STOT-repeated exposure: No data available Aspiration hazard: No data available

12. Ecological Information

Ecotoxicity: No data available Persistence/Degradability: No data available Bioaccumulation/Accumulation: No data available Mobility in environment media: No data available Other adverse effects: No data available

## 13. Disposal Considerations

Treatment, storage, transportation and disposal must be in accordance with applicable federal, state/provincial, and local regulations. Do not flush to surface water or sanitary sewer system.

## 14. Transport Information

14.1. UN Class/UN Number

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.2. UN proper shipping name

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.3. Transport hazard class(es)

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.4. Packing group

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.5. Environmental hazards

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.6. Special precautions for user

Transport and storage of the product in accordance with general

precautions and instructions mentioned in this SDS.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code

Not applicable

## 15. Regulatory Information



California Proposition 65: Not regulated SARA TITLE III: Not regulated

EU Information:

Chemical Safety Assessment according to EC Regulation 1907/2006:

This product has not carried out any Chemical Safety Assessment vet.

Australia Information:

Hazardous statement: Not classified as hazardous according to NOHSC criteria.

## 16. Other Information

NFPA 704: Hazard Rating System

Health - 1, Flammable - 0, Reactivity - 0

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge on the date of the last version. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.



## 1. Substance/mixture and Company Identification

Product name:

SUBLIMATION INK, IR-DST Light Cyan

Manufacture: REDGIANT, Inc.

Address: 37, MTV 27-ro, 58 beon-gil, Siheung-si, Gyeonggi-do, 15118 KOREA

Phone: +82-2-837-0329
Fax: +82-31-311-0130
Intended use: Inkjet Printing
Date of issue: 01 December, 2014

## 2. Hazard Identification

2.1 Emergency Overview:

Appearance and odor: Cyan liquid and slightly odor This product is not classified as dangerous according to GHS. GHS label elements, including precautionary statements

The product does not need to be labeled in accordance with GHS criteria.

2.2. OSHA regulatory status

This product is not considered hazardous material by the OSHA Communication Standard (29 CFR 1910.1200)

2.3. Potential health effects

Likely route of exposure: Eye, skin, inhalation or oral.

Eyes: Contact with eye may be mildly irritating.

Skin: Contact with skin may cause irritation, swelling or redness.

Inhalation: Exposure to vapors (mist) will cause respiratory irritation and anesthesia.

Ingestion: May cause upset stomach. Chronic Health Hazards: No information available.

Carcinogenicity: None of the ingredients in this ink is listed by IARC as a carcinogen. (1,2A and 2B)

See section 11 for more information.

3. Composition/Information on Ingredients

Composition	CAS No.	% By Weight	Classification HCS
Glycerol	56-81-5	10-20	Not classified as hazardous
Water	7732-18-5	80-90	Not classified as hazardous
Triethanolamine	102-71-6	0.5-2	Not classified as hazardous

#### 4. First Aid Measures

# 4.1. First aid procedures

Eye In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Hold eyelids

open during flushing. Seek medical advice.

Skin In case of contact, immediately flush with plenty of water while removing contaminated clothing

and shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.

Inhalation Remove to fresh air. If breathing is irregular, seek medical advice.

Ingestion If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

4.2. Note to physicians

May cause skin and eye irritation. Excessive inhalation of mist will cause respiratory irritation.



Not Flammable, Flash Point: >100 °C

As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion. Exposure to decomposition products may be a hazard to health. Cool closed containers exposed to fire with water spray. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## 5.2. Extinguishing media

Suitable extinguishing media: Carbon dioxide, alcohol-resistant foam, dry chemical or water spray.

Unsuitable extinguishing media: Do NOT use water jet.

# 5.3. Protection of fire fighters

Special hazards arising from the substance or mixture

Toxic and irritating fume and/or gases may generate by combustion.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus (SCBA) and full protective equipment.

Applying direct water may be dangerous because fire may expand to surroundings.

#### 6. Accidental Release Measures

#### General:

Notify the appropriate authorities immediately. Take all additional action necessary to prevent and remedy the adverse effects of the spill. Absorb spill with sand or earth then place in a chemical waste container.

## 6.1. Personal precautions

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

## 6.2. Environmental precautions

Dike spill. Prevent liquid from entering sewers, waterways or low areas.

## 6.3. Methods for containment and Clean-up

Use mechanical tools to collect spilled product and eliminated the remainder using jets of water.

Sweep up material and dispose as waste following local regulations. Scrub contaminated area with detergent and water.

## 6.4. Other information

No information

## 6.5. Spill or leak statements by type of chemical

Eliminate all ignition sources. Use appropriate personal protective equipment (PPE). Absorb and/or contain spill with inert sand, then place in suitable container. For large spills; use water spray to disperse vapers and dilute spill to a nonflammable mixture. Do not flush to sewer. Prevent run-off from entering drains, sewers or waterways.

## 7. Handling And Storage

## 7.1. Handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Keep out of reach of children and do not drink. Do not dismantle container.

## 7.2. Storage

Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with oxidizing agents or explosives.

## 8. Exposure Controls/Personal Protection

## 8.1. Exposure Guidelines

Occupational Exposure Limits:

EU: DNEL

211EE			
components	Long term exposure	Short term exposure	
Glycerol	56mg/m <sub>3</sub> -	-	
Triethanolamine	5mg/m <sub>3</sub>	-	



components	OSHA:PEL	ACGIH:TLV
Glycerol (mist)	15mg/m <sub>3</sub> -	10mg/m <sub>3</sub>
Triethanolamine		5mg/m <sub>3</sub>

Australia: OELs

components	TWA	STEL
Glycerol (mist)	10mg/m <sub>3</sub> -	-
Triethanolamine	5mg/m <sub>3</sub>	

#### 8.2. Engineering controls

Hand protection:

Control the airborne concentrations below the exposure limits. Use only with adequate ventilation.

## 8.3. Personal protective equipment (PPE)

Not required under suitable use as setting the cartridge on the printer. However, Eye/face protection:

in case of direct contact to ink, wear safety glasses or chemical splash goggles.

Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, use protective gloves.

Skin protection: Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, wear protective clothing.

Not required under suitable use as setting the cartridge on the printer. However, Respiratory protection:

in case ventilation is not sufficient, wear respiratory protection.

General hygiene measures: Wash hands after handling. In case contact with clothing, wash before reuse.

Do not eat, drink or smoke in handling or storage area.

#### 9. Physical and Chemical Properties

Appearance: Cyan liquid Odor: Slightly

рН: Approx. 7.5-9.5 Melting or freezing point: No data available Boiling point: No data available

> 100 °C Flash point: Flammability(solid,gas): None Explosive properties: None Oxidizing properties: None

Vapor pressure: No data available Density: Approx. 1.08 g/cm<sup>3</sup> Solubility: No data available Partition coefficient: n-octanol/water: No data available Viscosity: Approx. 2-6 cp (at 25 °C)

Vapor density: No data available Evaporation rate: No data available

# 10. Stability and Reactivity

10.1. Reactivity: No data available 10.2. Possibility of hazardous reactions: Not expected

10.3. Chemical stability: Stable under normal temperature

10.4. Conditions to avoid: Taking the product type into account, it is advisable to leave the product in

its original packaging thus avoiding transferring it.

10.5. Incompatible materials: Keep away from oxidising agents, strongly alkaline and strongly acid

materials in order to avoid exothermic reactions.

10.6. Hazardous decomposition products: No data available



Acute toxicity:

Oral LD50 No data available

(Disperse dye: LD50>5000mg/kg (Rat))

(Triethanolamine: LD50=8000~9000mg/kg (Rat))

Dermal LD50 No data available Inhalant LC50 No data available Skin corrosion/irritation: No data available

Repeated or prolonged contact with the mixture may cause removal of natural

fat from the skin resulting in desiccation of the skin. The product may be

absorbed through the skin.

No data available Serious eye damage/eye irritation: No data available Respiratory or skin sensitisation: Germ cell mutagenicity: No data available Reproductive toxicity: No data available

Carcinogenicity: None of the ingredients in this ink is listed by IARC as a carcinogen. (1,2A and 2B)

STOT-single exposure: Overexposure of eye may be mildly irritating.

Overexposure of skin may cause irritation and in some people swelling and redness.

Inhalation may result in respiratory irritation and anesthesia.

Ingestion may cause an upset stomach.

STOT-repeated exposure: No data available Aspiration hazard: No data available

12. Ecological Information

Ecotoxicity: No data available Persistence/Degradability: No data available Bioaccumulation/Accumulation: No data available Mobility in environment media: No data available Other adverse effects: No data available

## 13. Disposal Considerations

Treatment, storage, transportation and disposal must be in accordance with applicable federal, state/provincial, and local regulations. Do not flush to surface water or sanitary sewer system.

## 14. Transport Information

14.1. UN Class/UN Number

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.2. UN proper shipping name

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.3. Transport hazard class(es)

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.4. Packing group

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.5. Environmental hazards

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.6. Special precautions for user Transport and storage of the product in accordance with general

precautions and instructions mentioned in this SDS.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code

Not applicable

## 15. Regulatory Information



California Proposition 65: Not regulated SARA TITLE III: Not regulated

EU Information:

Chemical Safety Assessment according to EC Regulation 1907/2006:

This product has not carried out any Chemical Safety Assessment vet.

Australia Information:

Hazardous statement: Not classified as hazardous according to NOHSC criteria.

## 16. Other Information

NFPA 704: Hazard Rating System

Health - 1, Flammable - 0, Reactivity - 0

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge on the date of the last version. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.



## 1. Substance/mixture and Company Identification

Product name:

SUBLIMATION INK, IR-DST Orange

Manufacture: REDGIANT, Inc.

Address: 37, MTV 27-ro, 58 beon-gil, Siheung-si, Gyeonggi-do, 15118 KOREA

Phone: +82-2-837-0329
Fax: +82-31-311-0130
Intended use: Inkjet Printing
Date of issue: 01 December, 2014

## 2. Hazard Identification

2.1 Emergency Overview:

Appearance and odor: Orange liquid and slightly odor This product is not classified as dangerous according to GHS. GHS label elements, including precautionary statements

The product does not need to be labeled in accordance with GHS criteria.

2.2. OSHA regulatory status

This product is not considered hazardous material by the OSHA Communication Standard (29 CFR 1910.1200)

2.3. Potential health effects

Likely route of exposure: Eye, skin, inhalation or oral.

Eyes: Contact with eye may be mildly irritating.

Skin: Contact with skin may cause irritation, swelling or redness.

Inhalation: Exposure to vapors (mist) will cause respiratory irritation and anesthesia.

Ingestion: May cause upset stomach. Chronic Health Hazards: No information available.

Carcinogenicity: None of the ingredients in this ink is listed by IARC as a carcinogen. (1,2A and 2B)

See section 11 for more information.

3. Composition/Information on Ingredients

Composition	CAS No.	% By Weight	Classification HCS
Glycerol	56-81-5	10-20	Not classified as hazardous
Water	7732-18-5	80-90	Not classified as hazardous
Triethanolamine	102-71-6	0.5-2	Not classified as hazardous

#### 4. First Aid Measures

# 4.1. First aid procedures

Eye In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Hold eyelids

open during flushing. Seek medical advice.

Skin In case of contact, immediately flush with plenty of water while removing contaminated clothing

and shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.

Inhalation Remove to fresh air. If breathing is irregular, seek medical advice.

Ingestion If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

4.2. Note to physicians

May cause skin and eye irritation. Excessive inhalation of mist will cause respiratory irritation.



Not Flammable, Flash Point: >100 °C

As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion. Exposure to decomposition products may be a hazard to health. Cool closed containers exposed to fire with water spray. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### 5.2. Extinguishing media

Suitable extinguishing media: Carbon dioxide, alcohol-resistant foam, dry chemical or water spray.

Unsuitable extinguishing media: Do NOT use water jet.

# 5.3. Protection of fire fighters

Special hazards arising from the substance or mixture

Toxic and irritating fume and/or gases may generate by combustion.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus (SCBA) and full protective equipment.

Applying direct water may be dangerous because fire may expand to surroundings.

#### 6. Accidental Release Measures

#### General:

Notify the appropriate authorities immediately. Take all additional action necessary to prevent and remedy the adverse effects of the spill. Absorb spill with sand or earth then place in a chemical waste container.

## 6.1. Personal precautions

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

## 6.2. Environmental precautions

Dike spill. Prevent liquid from entering sewers, waterways or low areas.

## 6.3. Methods for containment and Clean-up

Use mechanical tools to collect spilled product and eliminated the remainder using jets of water.

Sweep up material and dispose as waste following local regulations. Scrub contaminated area with detergent and water.

## 6.4. Other information

No information

## 6.5. Spill or leak statements by type of chemical

Eliminate all ignition sources. Use appropriate personal protective equipment (PPE). Absorb and/or contain spill with inert sand, then place in suitable container. For large spills; use water spray to disperse vapers and dilute spill to a nonflammable mixture. Do not flush to sewer. Prevent run-off from entering drains, sewers or waterways.

## 7. Handling And Storage

## 7.1. Handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Keep out of reach of children and do not drink. Do not dismantle container.

## 7.2. Storage

Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with oxidizing agents or explosives.

## 8. Exposure Controls/Personal Protection

## 8.1. Exposure Guidelines

Occupational Exposure Limits:

EU: DNEL

DIVEE			
components	Long term exposure	Short term exposure	
Glycerol	56mg/m <sub>3</sub> -	-	
Triethanolamine	5mg/m <sub>3</sub>	-	



components	OSHA:PEL	ACGIH:TLV
Glycerol (mist)	15mg/m <sub>3</sub> -	10mg/m <sub>3</sub>
Triethanolamine		5mg/m <sub>3</sub>

Australia: OELs

inini Ozzo			
components	TWA	STEL	
Glycerol (mist)	10mg/m <sub>3</sub> -	-	
Triethanolamine	5mg/m <sub>3</sub>		

## 8.2. Engineering controls

Hand protection:

Control the airborne concentrations below the exposure limits. Use only with adequate ventilation.

## 8.3. Personal protective equipment (PPE)

Eye/face protection: Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, wear safety glasses or chemical splash goggles. Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, use protective gloves.

Skin protection: Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, wear protective clothing.

Respiratory protection: Not required under suitable use as setting the cartridge on the printer. However,

in case ventilation is not sufficient, wear respiratory protection.

General hygiene measures: Wash hands after handling. In case contact with clothing, wash before reuse.

Do not eat, drink or smoke in handling or storage area.

#### 9. Physical and Chemical Properties

Appearance: Orange liquid Odor: Slightly

pH: Approx. 7.5-9.5 Melting or freezing point: No data available Boiling point: No data available

Flash point: > 100 °C
Flammability(solid,gas): None
Explosive properties: None
Oxidizing properties: None

Vapor pressure:

Density:

Solubility:

Partition coefficient: n-octanol/water:

Viscosity:

No data available

No data available

No data available

Approx. 2-6 cp (at 25 °C)

Vapor density:

Vaporation rate:

No data available

No data available

# 10. Stability and Reactivity

10.1. Reactivity:

No data available
10.2. Possibility of hazardous reactions:

Not expected

10.3. Chemical stability: Stable under normal temperature

10.4. Conditions to avoid: Taking the product type into account, it is advisable to leave the product in

its original packaging thus avoiding transferring it.

10.5. Incompatible materials: Keep away from oxidising agents, strongly alkaline and strongly acid

materials in order to avoid exothermic reactions.

10.6. Hazardous decomposition products: No data available



Acute toxicity:

Oral LD50 No data available

(Disperse dye: LD50>5000mg/kg (Rat))

(Triethanolamine: LD50=8000~9000mg/kg (Rat))

Dermal LD50 No data available
Inhalant LC50 No data available
Skin corrosion/irritation: No data available

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of the skin. The product may be

absorbed through the skin.

Serious eye damage/eye irritation: No data available Respiratory or skin sensitisation: No data available Germ cell mutagenicity: No data available Reproductive toxicity: No data available

Carcinogenicity: None of the ingredients in this ink is listed by IARC as a carcinogen. (1,2A and 2B)

STOT-single exposure: Overexposure of eye may be mildly irritating.

Overexposure of skin may cause irritation and in some people swelling and redness.

Inhalation may result in respiratory irritation and anesthesia.

Ingestion may cause an upset stomach.

STOT-repeated exposure: No data available Aspiration hazard: No data available

12. Ecological Information

Ecotoxicity: No data available Persistence/Degradability: No data available Bioaccumulation/Accumulation: No data available Mobility in environment media: No data available Other adverse effects: No data available

## 13. Disposal Considerations

Treatment, storage, transportation and disposal must be in accordance with applicable federal, state/provincial, and local regulations. Do not flush to surface water or sanitary sewer system.

## 14. Transport Information

14.1. UN Class/UN Number

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.2. UN proper shipping name

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.3. Transport hazard class(es)

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.4. Packing group

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.5. Environmental hazards

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.6. Special precautions for user

Transport and storage of the product in accordance with general

precautions and instructions mentioned in this SDS.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code

Not applicable

## 15. Regulatory Information



California Proposition 65: Not regulated SARA TITLE III: Not regulated

EU Information:

Chemical Safety Assessment according to EC Regulation 1907/2006:

This product has not carried out any Chemical Safety Assessment yet.

Australia Information:

Hazardous statement: Not classified as hazardous according to NOHSC criteria.

## 16. Other Information

NFPA 704: Hazard Rating System

Health - 1, Flammable - 0, Reactivity - 0

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge on the date of the last version. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.



## 1. Substance/mixture and Company Identification

Product name:

SUBLIMATION INK, IR-DST Blue

Manufacture: REDGIANT, Inc.

Address: 37, MTV 27-ro, 58 beon-gil, Siheung-si, Gyeonggi-do, 15118 KOREA

Phone: +82-2-837-0329
Fax: +82-31-311-0130
Intended use: Inkjet Printing
Date of issue: 01 December, 2014

## 2. Hazard Identification

2.1 Emergency Overview:

Appearance and odor: Blue liquid and slightly odor This product is not classified as dangerous according to GHS. GHS label elements, including precautionary statements

The product does not need to be labeled in accordance with GHS criteria.

2.2. OSHA regulatory status

This product is not considered hazardous material by the OSHA Communication Standard (29 CFR 1910.1200)

2.3. Potential health effects

Likely route of exposure: Eye, skin, inhalation or oral.

Eyes: Contact with eye may be mildly irritating.

Skin: Contact with skin may cause irritation, swelling or redness.

Inhalation: Exposure to vapors (mist) will cause respiratory irritation and anesthesia.

Ingestion: May cause upset stomach. Chronic Health Hazards: No information available.

Carcinogenicity: None of the ingredients in this ink is listed by IARC as a carcinogen. (1,2A and 2B)

See section 11 for more information.

3. Composition/Information on Ingredients

Composition	CAS No.	% By Weight	Classification HCS
Glycerol	56-81-5	10-20	Not classified as hazardous
Water	7732-18-5	80-90	Not classified as hazardous
Triethanolamine	102-71-6	0.5-2	Not classified as hazardous

#### 4. First Aid Measures

## 4.1. First aid procedures

Eye In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Hold eyelids

open during flushing. Seek medical advice.

Skin In case of contact, immediately flush with plenty of water while removing contaminated clothing

and shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.

Inhalation Remove to fresh air. If breathing is irregular, seek medical advice.

Ingestion If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

4.2. Note to physicians

May cause skin and eye irritation. Excessive inhalation of mist will cause respiratory irritation.



Not Flammable, Flash Point: >100 °C

As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion. Exposure to decomposition products may be a hazard to health. Cool closed containers exposed to fire with water spray. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### 5.2. Extinguishing media

Suitable extinguishing media: Carbon dioxide, alcohol-resistant foam, dry chemical or water spray.

Unsuitable extinguishing media: Do NOT use water jet.

# 5.3. Protection of fire fighters

Special hazards arising from the substance or mixture

Toxic and irritating fume and/or gases may generate by combustion.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus (SCBA) and full protective equipment.

Applying direct water may be dangerous because fire may expand to surroundings.

#### 6. Accidental Release Measures

#### General:

Notify the appropriate authorities immediately. Take all additional action necessary to prevent and remedy the adverse effects of the spill. Absorb spill with sand or earth then place in a chemical waste container.

## 6.1. Personal precautions

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

## 6.2. Environmental precautions

Dike spill. Prevent liquid from entering sewers, waterways or low areas.

## 6.3. Methods for containment and Clean-up

Use mechanical tools to collect spilled product and eliminated the remainder using jets of water.

Sweep up material and dispose as waste following local regulations. Scrub contaminated area with detergent and water.

## 6.4. Other information

No information

## 6.5. Spill or leak statements by type of chemical

Eliminate all ignition sources. Use appropriate personal protective equipment (PPE). Absorb and/or contain spill with inert sand, then place in suitable container. For large spills; use water spray to disperse vapers and dilute spill to a nonflammable mixture. Do not flush to sewer. Prevent run-off from entering drains, sewers or waterways.

## 7. Handling And Storage

# 7.1. Handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Keep out of reach of children and do not drink. Do not dismantle container.

## 7.2. Storage

Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with oxidizing agents or explosives.

## 8. Exposure Controls/Personal Protection

## 8.1. Exposure Guidelines

Occupational Exposure Limits:

EU: DNEL

DIVEE			
components	Long term exposure	Short term exposure	
Glycerol	56mg/m <sub>3</sub> -	-	
Triethanolamine	5mg/m <sub>3</sub>	-	



components	OSHA:PEL	ACGIH:TLV
Glycerol (mist)	15mg/m <sub>3</sub> -	10mg/m <sub>3</sub>
Triethanolamine		5mg/m <sub>3</sub>

Australia: OELs

inini Ozzo			
components	TWA	STEL	
Glycerol (mist)	10mg/m <sub>3</sub> -	-	
Triethanolamine	5mg/m <sub>3</sub>		

## 8.2. Engineering controls

Hand protection:

Control the airborne concentrations below the exposure limits. Use only with adequate ventilation.

## 8.3. Personal protective equipment (PPE)

Eye/face protection: Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, wear safety glasses or chemical splash goggles. Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, use protective gloves.

Skin protection: Not required under suitable use as setting the cartridge on the printer. However,

in case of direct contact to ink, wear protective clothing.

Respiratory protection: Not required under suitable use as setting the cartridge on the printer. However,

in case ventilation is not sufficient, wear respiratory protection.

General hygiene measures: Wash hands after handling. In case contact with clothing, wash before reuse.

Do not eat, drink or smoke in handling or storage area.

#### 9. Physical and Chemical Properties

Appearance: Blue liquid Odor: Slightly

pH: Approx. 7.5-9.5 Melting or freezing point: No data available Boiling point: No data available

Flash point: > 100 °C
Flammability(solid,gas): None
Explosive properties: None
Oxidizing properties: None

Vapor pressure:

Density:

Solubility:

Partition coefficient: n-octanol/water:

No data available
No data available
No data available

Viscosity: Approx. 2-6 cp (at 25 °C) Vapor density: No data available Evaporation rate: No data available

# 10. Stability and Reactivity

10.1. Reactivity:

No data available
10.2. Possibility of hazardous reactions:

Not expected

10.3. Chemical stability: Stable under normal temperature

10.4. Conditions to avoid: Taking the product type into account, it is advisable to leave the product in

its original packaging thus avoiding transferring it.

10.5. Incompatible materials: Keep away from oxidising agents, strongly alkaline and strongly acid

materials in order to avoid exothermic reactions.

10.6. Hazardous decomposition products: No data available



Acute toxicity:

Oral LD50 No data available

(Disperse dye: LD50>5000mg/kg (Rat))

(Triethanolamine: LD50=8000~9000mg/kg (Rat))

Dermal LD50 No data available
Inhalant LC50 No data available
Skin corrosion/irritation: No data available

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of the skin. The product may be

absorbed through the skin.

Serious eye damage/eye irritation: No data available Respiratory or skin sensitisation: No data available Germ cell mutagenicity: No data available Reproductive toxicity: No data available

Carcinogenicity: None of the ingredients in this ink is listed by IARC as a carcinogen. (1,2A and 2B)

STOT-single exposure: Overexposure of eye may be mildly irritating.

Overexposure of skin may cause irritation and in some people swelling and redness.

Inhalation may result in respiratory irritation and anesthesia.

Ingestion may cause an upset stomach.

STOT-repeated exposure: No data available Aspiration hazard: No data available

12. Ecological Information

Ecotoxicity: No data available Persistence/Degradability: No data available Bioaccumulation/Accumulation: No data available Mobility in environment media: No data available Other adverse effects: No data available

## 13. Disposal Considerations

Treatment, storage, transportation and disposal must be in accordance with applicable federal, state/provincial, and local regulations. Do not flush to surface water or sanitary sewer system.

## 14. Transport Information

14.1. UN Class/UN Number

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.2. UN proper shipping name

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.3. Transport hazard class(es)

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.4. Packing group

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.5. Environmental hazards

DOT/ADR/ADG, IMDG, or IATA: Not applicable

14.6. Special precautions for user

Transport and storage of the product in accordance with general

precautions and instructions mentioned in this SDS.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code

Not applicable

## 15. Regulatory Information



California Proposition 65: Not regulated SARA TITLE III: Not regulated

EU Information:

Chemical Safety Assessment according to EC Regulation 1907/2006:

This product has not carried out any Chemical Safety Assessment vet.

Australia Information:

Hazardous statement: Not classified as hazardous according to NOHSC criteria.

## 16. Other Information

NFPA 704: Hazard Rating System

Health - 1, Flammable - 0, Reactivity - 0

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge on the date of the last version. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.